


Porta **MAGIC**

Reversible doors



THE UNIQUE CONSTRUCTION ALLOWS TO SPECIFY THE SIDE OF OPENING
EVEN DURING THE ASSEMBLY



NO PROBLEM



← watch the assembly video

www.portadoors.com


Porta MAGIC

Reversible doors

New reversible interior doors have been specially designed to fit any interior. Due to unique construction, innovative technology in locks and hinges design, it is not a problem anymore to define the side of door opening while purchasing. Their reversibility allows to specify the side of opening even during the assembly.



rotating lock



rotating hinge



1 - non-rebated, 2 - rebated

TECHNICAL INFORMATION:

DOOR LEAF

- filling - honeycomb insert or perforated chipboard
- special rotating hinges - 3 pcs.
- lock with rotating tongue - adjustment depending on the opening side of the door
- available locks: standard or bathroom
- elegant locking plate

DOOR FRAME

- modular, adjustable, rebated, made of wood-based materials
- architraves 60 mm wide prepared for cutting
- horizontal architrave enable to be reduced to required width of the door frame
- color of the seal fitting the door leaf
- hardware in silver color

AVAILABLE SIZES


70, 80, 90

Portadecor Veneer ★★★★★☆




* while stocks last

Portasynchro 3D Veneer ★★★★★☆



Portaperfect 3D Veneer ★★★★★☆




DIMENSIONS:

Norm	Size	S _s	H _s	S _o	H _o	S _b	H _b	S _z	H _z	Amount of hinges
PN	70	734	2017	820	2075	790	2060	895	2113	3
	80	834		920		890		995		
	90	934		1020		990		1095		
CN	70	738	1972	824	2030	794	2015	899	2068	3
	80	838		924		894		999		
	90	938		1024		994		1099		
DIN	70	725	1972	811	2030	781	2015	886	2068	3
	80	850		936		906		1011		
	90	975		1061		1031		1136		

S_s total leaf width, including rebates
H_s total leaf height, including rebate
D_s thickness of door leaf
S_o width of wall opening ready for door frame setting
H_o height of wall opening ready for door frame setting, measured from the finished floor level
O_s clear width of the door frame
S_w clear height of the door frame
S_b width of door frame, door trims excluded
H_b height of door frame, door trims excluded
S_z total width of door frame, including door trims
H_z total height of door frame, including door trims

H_c height of wall opening ready for built-in cassette (measured from the finished floor level)
M_s width of sliding door masking system
M_G thickness of sliding door masking system
B_G thickness of sliding door fender beam
T_{s/w} permissible tolerance from width/height of wall opening
S_c width of wall opening ready for built-in cassette



All dimensions - in millimeters [mm] and in accordance with the Polish Standard (PN)